




| ITEM | PART DESCRIPTION                        | CODE  |
|------|-----------------------------------------|-------|
|      |                                         |       |
| 1    | CONNECTABLE SHAFT Ø 60 MM LGTH. 1500 MM | 607   |
| 2    | CONNECTABLE SHAFT Ø 60 MM LGTH. 1500 MM | 608   |
| 3    | CONNECTABLE SHAFT Ø 60 MM LGTH. 1500 MM | 609   |
| 4    | COMPLETE SUPPORT                        | 610   |
|      | BEARING CARRIER                         |       |
|      | SUPPORT BUSHING                         | 610/3 |

|    |                                       |           |  |
|----|---------------------------------------|-----------|--|
|    | SUPPORT BEARING                       |           |  |
|    | THREADED SCREW                        |           |  |
|    | SUPPORT SPRING                        |           |  |
| 5  | BRACKET LENGTH 50 mm                  | 611       |  |
|    | HEXAGONAL NUT ZNB                     |           |  |
|    | BOLT FOR SUPPORT FASTENING            |           |  |
| 6  | BRACKET LENGTH 300 mm                 |           |  |
|    | HEXAGONAL NUT ZNB                     |           |  |
|    | BOLT FOR SUPPORT FASTENING            |           |  |
| 7  | CENTRING KIT COMPOSED WITH:           |           |  |
| 8  | COMPARATOR                            | 618       |  |
| 9  | MICROSPAND                            | 619       |  |
| 10 | COMPARATOR HOLDER 12/8                | 617       |  |
| 11 | COMPARATOR HOLDER 10/8                | 617       |  |
| 12 | COMPARATOR HOLDER 8/8                 | 617       |  |
| 13 | COMPARATOR EXTENSION                  |           |  |
| 14 | SMALL HOOK DIAM. 60                   |           |  |
| 15 | MICROSPAND EXTENSION LENGTH 23        |           |  |
| 16 | MICROSPAND EXTENSION LENGTH 50        |           |  |
| 17 | MICROSPAND EXTENSION LENGTH 100       |           |  |
| 18 | MICROSPAND EXTENSION LENGTH 150       |           |  |
| 19 | TOOL-HOLDER SCREWDRIVER               |           |  |
| 20 | TOOL-HOLDER S12 LGTH. 80 mm           | S12C      |  |
| 21 | TOOL-HOLDER S10 LGTH. 50 mm           | S10C      |  |
| 22 | TOOL-HOLDER S10 LGTH. 30 mm           | S10C      |  |
| 23 | TOOL-HOLDER EXTENSIONS LENGTH. 100 mm | SLF 3 500 |  |
| 24 | TOOL-HOLDER EXTENSIONS LENGTH. 150 mm | 616       |  |
| 25 | TOOL-HOLDER EXTENSIONS DIAM. 180 mm   | SLA 3 180 |  |
| 26 | TOOL-HOLDER KEY                       |           |  |
| 27 | TOOL-HOLDER EXTENSIONS DIAM. 450 mm   |           |  |
| 28 | TOOL-HOLDER EXTENSIONS DIAM. 140 mm   | SLA 3 140 |  |
| 29 | TOOL-HOLDER EXTENSIONS DIAM. 270 mm   | SLA 3 270 |  |
| 36 | INSERT                                | 614       |  |

|    |                                     |  |
|----|-------------------------------------|--|
|    | <b>TOOL-HOLDER SCREW</b>            |  |
|    |                                     |  |
|    | <b>COMPLETE CONTROL PANEL ARM</b>   |  |
| 30 | <b>CONTROL PANEL ARM</b>            |  |
| 31 | <b>CONTROL PANEL HOLDER BUSHING</b> |  |
|    | <b>MORSE TAPER EXTRACTOR</b>        |  |
|    |                                     |  |
| 32 | <b>WRENCHES</b>                     |  |
|    | <b>HEX WRENCH Ø 3</b>               |  |
|    | <b>HEX WRENCH Ø 4</b>               |  |
|    | <b>HEX WRENCH Ø 5</b>               |  |
|    | <b>HEX WRENCH Ø 6</b>               |  |
|    | <b>HEX WRENCH "L" Ø 12</b>          |  |
|    | <b>COMBINED WRENCH Ø 22</b>         |  |
|    |                                     |  |
|    | <b>OTHER ACCESSORIES</b>            |  |
| 33 | <b>TROLLEY FOR MACHINE</b>          |  |
| 35 | <b>TROLLEY FOR SHAFTS</b>           |  |



| ITEM | PART DESCRIPTION                             | CODE     |
|------|----------------------------------------------|----------|
|      |                                              |          |
| 38   | TORCH SHAFT                                  | 591      |
| 39   | COMPLETE TORCH CABLE                         | 606      |
| 40   | TORCH HEAD EXTENSION "H" (135 MM)            | SAL0047H |
| 41   | TORCH HEAD EXTENSION "D" (55 MM)             | 597      |
| 42   | TORCH HEAD EXTENSION "E" (45 MM)             | 598      |
| 43   | TORCH HEAD "A" FOR EXTERNAL WELDING (320 MM) | 596      |
| 44   | TORCH HEAD "B" FOR INTERNAL WELDING (125 MM) | 594      |
| 45   | TORCH HEAD "M" FOR INTERNAL WELDING (70 MM)  | SAL1042M |
| 46   | TORCH HEAD "C" FOR INTERNAL WELDING (90 MM)  | 595      |
| 47   | TORCH HEAD "G" FOR INTERNAL WELDING (180 MM) | SAL0044G |
| 48   | TORCH HEAD "I" FOR INTERNAL WELDING (250 MM) | SAL8045I |
| 49   | LONG COPPER WIRE NOZZLE 0,8 MM               | 603      |
| 50   | SHORT COPPER WIRE NOZZLE 0,8 MM              | 602      |
| 51   | SHORT COPPER WIRE NOZZLE 1 MM                | 605      |
| 52   | LONG COPPER WIRE NOZZLE 1 MM                 | 604      |
| 53   | REAR TORCH BUSHING                           |          |
| 54   | FRONT TORCH BUSHING                          |          |
| 55   | SHORT GAS NOZZLE                             | 599      |
| 56   | LONG GAS NOZZLE                              | 600      |

|    |                                             |     |
|----|---------------------------------------------|-----|
|    |                                             |     |
| 57 | FRONT ARTICULATED JOINT WELDING TORCH SHAFT | 592 |
| 58 | POSTERIOR RAPID ATTACH TORCH SHAFT          | 591 |
| 59 | TORCH CABLE TERMINAL END                    | 680 |